



BOLT DOWN DETAIL



DETAIL "A"

NOTES:

1. THIS FRAME IS DESIGNED TO ACCOMMODATE 20"x 24" GRATES OR COVERS AS SHOWN ON STD. DETAILS D4.3 AND D4.4.
2. WHEN BOLT DOWN GRATES OR COVERS ARE SPECIFIED, PROVIDE TWO HOLES IN THE FRAME THAT ARE VERTICALLY ALIGNED WITH THE GRATE OR COVER SLOTS. TAP EACH HOLE TO ACCEPT A 5/8"x 2" - 11 NC ALLEN HEAD CAP SCREW. LOCATION OF BOLT DOWN HOLES VARIES AMONG DIFFERENT MANUFACTURERS.
3. REFER TO WSDOT STANDARD SPECIFICATIONS 9-05.15(2) FOR ADDITIONAL REQUIREMENTS.
4. SEE WSDOT STANDARD SPECIFICATIONS SECTION 7-05.

NO.	REVISIONS	DATE	BY

DWG: D4.2.DWG



Department of
Public Works
CLARK COUNTY
WASHINGTON
proud past, promising future

REVERSIBLE FRAME
FOR CATCH BASIN

[Signature]
APPROVED
COUNTY ENGINEER

01/07/16
DATE

STANDARD
D4.2
DETAIL
DESIGNED
DRAWN
DATE 01/30/15