

Inspection Frequency Matrix

Type of Operational Permit	Hazard Level Inspection Frequency		
	Low	Moderate	High
	3 yrs or as needed	2 yrs	Annual
Aerosol products			X
Amusement buildings	X		
Aviation facilities			X
Carbon dioxide systems			X
Carnivals and fairs	X		
Cellulose nitrate Film	X		
Combustible dust producing			X
Combustible fibers		X	
Compressed gases			X
Covered mall buildings		X	
Cryogenic fluids		X	
Cutting and welding			X
Dry cleaning plants		X	
Exhibits and trade shows	X		
Explosives	X		
Fire hydrants and valves	X		
Flammable and combustible liquids			X
Floor finishing	X		
Fruit and crop ripening	X		
Fumigation and thermal insecticidal fogging	X		
Hazardous materials			X
Hazardous production materials			X
High-piled storage		X	
Hot work operations			X
Industrial ovens		X	
Lumber yards and woodworking plants			X
Liquid or gas-fueled vehicles in public assembly buildings	X		

Revised 2/1/17



Public Safety Complex
 505 NW 179TH ST, Ridgefield, Washington
 Phone: (360) 397-2186 Fax: (360) 397-2076
www.clark.wa.gov/community-development



For an alternate format,
 contact the Clark County
 ADA Compliance Office.
 Phone: (360) 397-2322
 Relay: 711 or (800) 833-6384
 E-mail: ADA@clark.wa.gov

Liquified Petroleum Gas (propane)			X
Magnesium (melt, cast, heat treat, or grind)	X		
Marijuana extraction systems			X
Miscellaneous combustible storage	X		
Motor fuel dispensing			X
Open burning	X		
Open flames and torches	X		
Open flames and candles	X		
Organic coatings	X		
Places of public assembly	See Occupancy Classification for Group A Inspections		
Private fire hydrants	X		
Pyrotechnic special effects	X		
Pyroxylin plastics		X	
Refrigeration equipment	X		
Repair garages			X
Rooftop heliports	X		
Spraying or dipping operations			X
Storage of tires and tire byproducts		X	
Tents, canopies, membrane structures	X		
Tire-rebuilding plants		X	
Waste handling		X	
Wood products		X	