

2016 Clark County Population Health Indicator Table

The Clark County Population Health Indicator Table includes over 100 population health indicators used in a regional health status assessment and details data specific to Clark County, Washington. Indicators include a wide range of topical areas and describe aspects of health behaviors, morbidity and mortality. Measures for the county rate, trend over time, comparison to state value, and disparities by gender and race/ethnicity are reported for each indicator, when available. Statistically significance differences are noted where applicable.

The full context, methodology, and findings can be found in the Healthy Columbia Willamette Collaborative 2016 Community Health Needs Assessment report (July 2016). The report is available on the Clark County Public Health website at:

www.clark.wa.gov/chna2016.

For more information about the Healthy Columbia Willamette Collaborative, please visit www.healthycolumbiawillamette.org.

This indicator table is available at: www.clark.wa.gov/population-health-indicator.

For more information about this table, please contact Health Assessment and Evaluation at 360-397-8489 or adiba.ali@clark.wa.gov.

2016 Clark County Population Health Indicator Table

| Category/Health Issue | Clark County Rate (2014) [†] | Gender | | Race/Ethnicity | | | | | Trend | WA State Rate (2014) [†] | Compare to state | Data year/ source [†] |
|--|---------------------------------------|---------|--------|----------------|--------|------------------------|---------|-------|-------|-----------------------------------|------------------|-----------------------------------|
| | | Male | Female | W | B | A | AI/AN | H | | | | |
| Asthma | | | | | | | | | | | | |
| Current asthma (adult) [%] | 11.0 | 7.9 | 14.3 ↑ | 12.0 | -- | -- | -- | -- | n/a | 9.2 | ↔ | 1 |
| Ever been diagnosed with asthma (8th gr) [%] | 18.1 | 19.4 | 19.5 | 19.5 | 26.2 ↑ | 16.1 (A) -- (NH/PI) | 23.4 | 18.9 | ↑ | 18.4 | ↔ | 13 |
| Ever been diagnosed with asthma (10th gr) [%] | 21.5 | 20.7 | 21.7 | 21.3 | 25.3 | 16.0 (A) -- (NH/PI) | 22.8 | 21.9 | ↑ | 21.5 | ↔ | 13 |
| Cancer & Cancer Screening | | | | | | | | | | | | |
| All cancer mortality [per 100,000] | 173.3 | 208.8 ↑ | 151.0 | 179.1 | 150.8 | 113.8 (API) ↓ | 325.1 ↑ | 101.5 | ↔ | 157.1 | ↑ | 12 |
| All cancer incidence [per 100,000] | 427.4 | 445.4 ↑ | 418.6 | n/a | n/a | n/a | n/a | n/a | ↔ | 467.5 | ↓ | 6 |
| Bladder cancer incidence [per 100,000] | 21.3 | 37.7 ↑ | 8.4 | n/a | n/a | n/a | n/a | n/a | ↔ | 22.0 | ↔ | 6 |
| Breast cancer mortality (female) [per 100,000] | 20.3 | n/a | n/a | 21.5 | -- | -- | -- | -- | ↔ | 20.5 | ↔ | 12 |
| Breast cancer incidence (female) [per 100,000] | 127.0 | n/a | n/a | n/a | n/a | n/a | n/a | n/a | ↔ | 135.0 | ↔ | 6 |
| Colorectal cancer mortality [per 100,000] | 12.0 | 14.9 | 11.8 | 13.8 | -- | -- | -- | -- | ↓ | 12.0 | ↔ | 12 |
| Colorectal cancer incidence [per 100,000] | 37.0 | 38.4 | 35.6 | n/a | n/a | n/a | n/a | n/a | ↔ | 38.7 | ↔ | 6 |
| Received colorectal cancer screening (adult 50-75) [%] | 72.0 | 73.5 | 72.0 | 74.7 | -- | -- | -- | -- | n/a | 70.8 | ↔ | 1 |
| Kidney/renal pelvis cancer incidence [per 100,000] | 14.0 | 19.2 ↑ | 9.5 | n/a | n/a | n/a | n/a | n/a | ↔ | 15.8 | ↔ | 6 |
| Leukemia cancer incidence [per 100,000] | 10.3 | 13.5 ↑ | 7.5 | n/a | n/a | n/a | n/a | n/a | ↔ | 14.5 | ↓ | 6 |

2016 Clark County Population Health Indicator Table

| Category/Health Issue | Clark County Rate (2014) [†] | Gender | | Race/Ethnicity | | | | | Trend | WA State Rate (2014) [†] | Compare to state | Data year/ source [†] |
|---|---------------------------------------|--------|--------|----------------|-----|------------|-------|-----|-------|-----------------------------------|------------------|--------------------------------|
| | | Male | Female | W | B | A | AI/AN | H | | | | |
| Lung, trachea, bronchus cancer mortality [per 100,000] | 45.5 | 56.6 ↑ | 41.2 | 49.2 | -- | 31.2 (API) | -- | -- | ↔ | 39.1 | ↔ | 12 |
| Lung, trachea, bronchus cancer incidence [per 100,000] | 60.6 | 66.4 | 57.3 | n/a | n/a | n/a | n/a | n/a | ↔ | 61.6 | ↔ | 6 |
| Lymphoid, hematopoietic, related tissue mortality [per 100,000] | 19.3 | 24.5 ↑ | 13.7 | 19.1 | -- | -- | -- | -- | ↔ | 16.1 | ↔ | 12 |
| Non-Hodgkin lymphoma incidence [per 100,000] | 18.9 | 21.9 | 16.5 | n/a | n/a | n/a | n/a | n/a | ↔ | 21.1 | ↔ | 6 |
| Melanoma (skin) cancer incidence [per 100,000] | 25.8 | 30.3 ↑ | 22.5 | n/a | n/a | n/a | n/a | n/a | ↔ | 25.6 | ↔ | 6 |
| Ovarian cancer mortality (female) [per 100,000] | 8.4 | n/a | n/a | 7.7 | -- | -- | -- | -- | ↔ | 7.8 | ↔ | 12 |
| Ovarian cancer incidence (female) [per 100,000] | 11.2 | n/a | n/a | n/a | n/a | n/a | n/a | n/a | ↔ | 13.1 | ↔ | 6 |
| Pancreatic cancer mortality [per 100,000] | 10.7 | 12.7 | 10.2 | 11.3 | -- | -- | -- | -- | ↔ | 11.2 | ↔ | 12 |
| Pancreatic cancer incidence [per 100,000] | 12.1 | 13.1 | 11.1 | n/a | n/a | n/a | n/a | n/a | ↔ | 12.5 | ↔ | 6 |
| Prostate cancer mortality (male) [per 100,000] | 16.5 | n/a | n/a | 21.2 | -- | -- | -- | -- | ↓ | 19.8 | ↔ | 12 |
| Prostate cancer incidence (male) [per 100,000] | 97.9 | n/a | n/a | n/a | n/a | n/a | n/a | n/a | ↓ | 133.9 | ↓ | 6 |
| Thyroid cancer incidence [per 100,000] | 13.8 | 7.3 | 20.0 ↑ | n/a | n/a | n/a | n/a | n/a | ↔ | 13.4 | ↔ | 6 |
| Uterine cancer incidence (female) [per 100,000] | 27.6 | n/a | n/a | n/a | n/a | n/a | n/a | n/a | ↔ | 25.8 | ↔ | 6 |

2016 Clark County Population Health Indicator Table

| Category/Health Issue | Clark County Rate (2014) [†] | Gender | | Race/Ethnicity | | | | | Trend | WA State Rate (2014) [†] | Compare to state | Data year/ source [†] |
|---|---------------------------------------|--------|--------|----------------|--------|--------------------------|-------|--------|-------|-----------------------------------|------------------|-----------------------------------|
| | | Male | Female | W | B | A | AI/AN | H | | | | |
| Diabetes | | | | | | | | | | | | |
| Diabetes mortality [per 100,000] | 22.7 | 29.3 ↑ | 18.3 | 22.5 | 70.7 ↑ | 16.1 (API) | -- | 28.6 | ↔ | 21.4 | ↔ | 12 |
| Diabetes (adult) [%] | 9.3 | 8.7 | 8.2 | 7.7 | -- | -- | -- | -- | n/a | 8.3 | ↔ | 1 |
| Exercise, Nutrition, & Weight | | | | | | | | | | | | |
| Fruit/vegetable consumption: 5 or more times/day (adult) [%] | 19.4 | 16.3 | 22.9 | 18.1 | -- | -- | -- | -- | n/a | 16.7 | ↔ | 5 |
| Fruit/vegetable consumption: 5 or more times/day (8th gr) [%] | 23.2 | 25.9 | 21.7 ↓ | 22.1 | 26.9 | 28.7 (A) ↑ -- (NH/PI) | 25.2 | 22.9 | ↓ | 24.5 | ↔ | 16 |
| Fruit/vegetable consumption: 5 or more times/day (10th gr) [%] | 19.9 | 24.6 | 19.1 ↓ | 20.7 | 25.6 | 23.2 (A) -- (NH/PI) | -- | 20.9 | ↔ | 21.5 | ↔ | 16 |
| Obesity (BMI ≥ 30) (adult) [%] | 26.9 | 29.5 | 27.6 | 28.8 | -- | -- | -- | -- | n/a | 27.0 | ↔ | 1 |
| Obesity (BMI ≥ 30) (8th gr) [%] | 9.6 | 12.5 ↑ | 7.2 | 8.3 | 13.8 ↑ | 9.6 (A) -- (NH/PI) | -- | 15.6 ↑ | ↔ | 9.3 | ↔ | 13 |
| Obesity (BMI ≥ 30) (10 gr) [%] | 10.7 | 14.9 ↑ | 6.7 | 9.3 | 14.7 ↑ | -- | -- | 15.3 ↑ | ↔ | 11.2 | ↔ | 13 |
| Overweight (BMI 25.0 - 29.9) (adult) [%] | 43.2 | 40.3 ↑ | 31.3 | 35.3 | -- | -- | -- | 40.9 | n/a | 36.0 | ↑ | 1 |
| Overweight (BMI 25.0 - 29.9) (8th gr) [%] | 13.3 | 14.5 | 13.0 | 13.3 | 14.1 | -- | -- | 18.9 ↑ | ↓ | 13.6 | ↔ | 13 |
| Overweight (BMI 25.0 - 29.9) (10th gr) [%] | 13.2 | 12.9 | 12.3 | 11.5 | 21.4 ↑ | 10.9 (A) -- (NH/PI) | -- | 18.0 ↑ | ↔ | 13.8 | ↔ | 13 |
| Overweight or obese (BMI ≥ 25.0) (adult) [%] | 70.1 | 69.8 ↑ | 58.9 | 64.1 | -- | -- | -- | 75.8 | n/a | 62.9 | ↑ | 1 |
| Physical activity outside of work within past month (adult) [%] | 82.1 | 83.4 | 79.7 | 81.7 | -- | 85.1 (A) | -- | 79.4 | n/a | 82.1 | ↔ | 1 |

2016 Clark County Population Health Indicator Table

| Category/Health Issue | Clark County Rate (2014) [†] | Gender | | Race/Ethnicity | | | | | Trend | WA State Rate (2014) [†] | Compare to state | Data year/ source [†] |
|---|---------------------------------------|---------|--------|----------------|--------|----------------------------|---------|--------|-------|-----------------------------------|------------------|-----------------------------------|
| | | Male | Female | W | B | A | AI/AN | H | | | | |
| | | | | | | | | | | | | |
| Participated in 150 minutes or more of aerobic physical activity per week (adult) [%] | 58.4 | 59.1 | 56.1 | 57.5 | -- | -- | -- | -- | n/a | 55.9 | ↔ | 4 |
| Met guidelines for aerobic and muscle strengthening exercises (adult) [%] | 24.5 | 27.8 | 22.6 | 24.5 | -- | -- | -- | -- | n/a | 22.0 | ↔ | 5 |
| Participated in muscle strengthening exercises 2+ times per week (adult) [%] | 33.0 | 38.8 | 30.1 ↓ | 34.6 | -- | -- | -- | -- | n/a | 31.9 | ↔ | 5 |
| Physically active for total of 60+ min in past 7 days on all 7 days (8th gr) [%] | 30.8 | 38.5 | 21.0 ↓ | 30.1 | 36.3 ↑ | 21.5 (A) ↓ 29.5 (NH/PI) | 31.8 | 29.4 | ↑ | 31.0 | ↔ | 15 |
| Physically active for total of 60+ min in past 7 days on all 7 days (10th gr) [%] | 25.4 | 31.3 | 16.5 ↓ | 24.0 | 27.5 | 18.5 (A) ↓ 27.5 (NH/PI) | 26.5 | 18.9 ↓ | ↑ | 23.5 | ↔ | 15 |
| Muscle strengthening/toning exercises in past 7 days for minimum of 3 days (8th gr) [%] | 54.8 | 62.0 | 48.2 ↓ | 55.0 | 54.8 | 47.0 (A) -- (NH/PI) | 52.8 | 54.9 | ↓ | 55.8 | ↔ | 17 |
| Muscle strengthening/toning exercises in past 7 days for minimum of 3 days (10 gr) [%] | 53.8 | 60.8 | 47.8 ↓ | 54.4 | 58.1 | 50.4 (A) 66.0 (NH/PI) | -- | 50.9 | ↔ | 52.0 | ↔ | 17 |
| Family Planning | | | | | | | | | | | | |
| Teen pregnancy (female 15-17) [per 1,000] | 11.6 | n/a | n/a | n/a | n/a | n/a | n/a | n/a | ↓ | 13.3 | ↔ | 12 |
| Healthcare Access & Coverage | | | | | | | | | | | | |
| Usual source of health care or one or more personal doctors (adult) [%] | 76.9 | 67.3 ↓ | 79.6 | 74.7 | -- | 77.5(A) | -- | 65.8 ↓ | n/a | 73.4 | ↔ | 1 |
| Health insurance (adult) [%] | 93.5 | 85.7 | 85.8 | 87.6 | -- | 88.9 (A) | -- | 67.9 ↓ | n/a | 88.7 | ↔ | 1 |
| Could not afford to see doctor at any time in past year because of cost (adult) [%] | 11.1 | 12.4 | 17.4 ↑ | 15.1 | -- | -- | -- | -- | n/a | 12.6 | ↔ | 1 |
| Heart Disease & Stroke | | | | | | | | | | | | |
| Heart disease mortality [per 100,000] | 139.9 | 178.5 ↑ | 116.0 | 145.7 | 170.5 | 78.0 (API) ↓ | 320.8 ↑ | 73.1 ↓ | ↓ | 138.3 | ↔ | 12 |

2016 Clark County Population Health Indicator Table

| Category/Health Issue | Clark County Rate (2014) [†] | Gender | | Race/Ethnicity | | | | | Trend | WA State Rate (2014) [†] | Compare to state | Data year/ source [†] |
|---|---------------------------------------|---------|---------|----------------|---------|---------------|-------|---------|-------|-----------------------------------|------------------|--------------------------------|
| | | Male | Female | W | B | A | AI/AN | H | | | | |
| Cerebrovascular disease/stroke mortality [per 100,000] | 30.5 | 34.4 | 35.0 | 35.0 | 58.3 | 33.8 (API) | -- | 20.8 | ↓ | 34.7 | ↔ | 12 |
| High blood pressure (adult) [%] | 28.3 | 31.2 | 25.8 | 28.5 | -- | -- | -- | -- | n/a | 29.0 | ↔ | 5 |
| High cholesterol (adult) [%] | 29.2 | 31.0 | 27.0 | 27.4 | -- | -- | -- | -- | n/a | 31.8 | ↔ | 5 |
| Essential hypertension and hypertensive renal disease mortality [per 100,000] | 7.2 | 7.5 | 8.9 | 8.2 | -- | -- | -- | -- | ↔ | 7.5 | ↔ | 12 |
| Major cardiovascular disease mortality [per 100,000] | 182.3 | 228.9 ↑ | 164.4 | 195.0 | 278.1 ↑ | 122.9 (API) ↓ | -- | 103.8 ↓ | ↓ | 187.9 | ↔ | 12 |
| Immunizations & Infectious Diseases | | | | | | | | | | | | |
| Influenza/pneumonia mortality [per 100,000] | 7.3 | 11.1 | 8.2 | 9.1 | -- | -- | -- | -- | ↔ | 9.5 | ↔ | 12 |
| Pneumonia mortality [per 100,000] | 6.4 | 10.2 | 7.9 | 8.5 | -- | -- | -- | -- | ↔ | 8.3 | ↔ | 12 |
| Received flu shot in past year (adult 65+) [%] | 55.5 | 63.0 | 62.3 | 63.6 | -- | -- | -- | -- | n/a | 59.2 | ↔ | 1 |
| Received flu shot in past year (adult) [%] | 39.8 | 35.2 ↓ | 40.8 | 38.0 | -- | -- | -- | -- | n/a | 40.4 | ↔ | 1 |
| Ever received pneumonia vaccination (adult 65+) [%] | 75.2 | 69.3 ↓ | 79.3 | 75.3 | -- | -- | -- | -- | n/a | 73.4 | ↔ | 1 |
| Chronic Hepatitis C incidence [per 100,000] | 128.3 | n/a | n/a | n/a | n/a | n/a | n/a | n/a | ↑ | 86.1 | ↑ | 8 |
| Chlamydia incidence [per 100,000] | 373.0 | 203.1 | 546.9 ↑ | n/a | n/a | n/a | n/a | n/a | ↑ | 390.4 | ↔ | 7 |
| Gonorrhea incidence [per 100,000] | 51.2 | 46.4 ↑ | 36.4 | n/a | n/a | n/a | n/a | n/a | ↔ | 91.4 | ↓ | 10 |

2016 Clark County Population Health Indicator Table

| Category/Health Issue | Clark County Rate (2014) [†] | Gender | | Race/Ethnicity | | | | | Trend | WA State Rate (2014) [†] | Compare to state | Data year/ source [†] |
|---|---------------------------------------|--|--------|----------------|--------|-----------------------|--------|--------|-------|-----------------------------------|------------------|-----------------------------------|
| | | Male | Female | W | B | A | AI/AN | H | | | | |
| | | Early syphilis incidence [per 100,000] | 6.5 | 9.1 | -- | n/a | n/a | n/a | | | | |
| HIV/AIDS, HIV and AIDS incident cases [per 100,000] | 5.0 | n/a | n/a | n/a | n/a | n/a | n/a | n/a | ↔ | 6.5 | ↔ | 11 |
| Injury | | | | | | | | | | | | |
| Accidents (unintentional injuries) mortality [per 100,000] | 50.2 | 57.8 ↑ | 29.7 | 44.6 | -- | 31.1 (API) | -- | 20.8 ↓ | ↑ | 40.5 | ↑ | 12 |
| Nontransport accidents mortality [per 100,000] | 37.5 | 44.4 ↑ | 24.5 | 35.1 | -- | 23.5 (API) | -- | 15.2 | ↑ | 31.7 | ↔ | 12 |
| Maternal, Fetal & Infant Health | | | | | | | | | | | | |
| Low birth weight (< 2,500 g or 5.5 pounds) (live births) [%] | 6.3 | n/a | n/a | 5.8 | 9.2 ↑ | 7.7 (API) ↑ | -- | 6.3 | ↔ | 6.4 | ↔ | 12 |
| Early prenatal care, Kotelchuck index of adequate prenatal care (live births) [%] | 72.0 | n/a | n/a | 73.2 | 68.0 | 67.3 (API) ↓ | 72.7 | 67.5 ↓ | ↑ | 71.2 | ↔ | 12 |
| Mothers smoking during pregnancy (live births) [%] | 15.0 | n/a | n/a | 16.8 | 21.5 ↑ | 6.7 (API) ↓ | 28.5 ↑ | 7.3 ↓ | ↓ | 9.6 | ↑ | 12 |
| Preterm births, < 36 wks (live births) [%] | 10.7 | n/a | n/a | 9.5 | 12.3 | 11.4 (API) | 18.3 ↑ | 10.7 | ↔ | 9.5 | ↑ | 12 |
| Mental & Emotional Health | | | | | | | | | | | | |
| Suicide mortality [per 100,000] | 16.7 | 25.1 ↑ | 8.1 | 17.1 | -- | 13.1 (API) | -- | 9.1 | ↔ | 15.4 | ↔ | 12 |
| Any suicide attempt in past 12 months (8th gr) [%] | 8.5 | 5.1 | 10.5 ↑ | 7.3 | -- | -- | -- | 8.7 | ↔ | 8.9 | ↔ | 14 |
| Any suicide attempt in past 12 months (10 gr) [%] | 10.0 | 6.5 | 10.0 ↑ | 7.2 | -- | 8.8 (A) -- (NH/PI) | -- | 9.4 | ↔ | 10.2 | ↔ | 14 |
| Depression (adult) [%] | 21.7 | 14.3 | 28.2 ↑ | 23.6 | -- | -- | -- | -- | n/a | 21.5 | ↔ | 1 |

2016 Clark County Population Health Indicator Table

| Category/Health Issue | Clark County Rate (2014) [†] | Gender | | Race/Ethnicity | | | | | Trend | WA State Rate (2014) [†] | Compare to state | Data year/ source [†] |
|---|---------------------------------------|--------|--------|----------------|--------|----------------------------|--------|--------|-------|-----------------------------------|------------------|-----------------------------------|
| | | Male | Female | W | B | A | AI/AN | H | | | | |
| | | | | | | | | | | | | |
| Poor emotional/mental health for 14 or more days in a month (adult) [%] | 14.9 | 10.3 | 15.9 ↑ | 13.7 | -- | -- | -- | -- | n/a | 11.0 | ↔ | 1 |
| Poor emotional/ mental health (e.g., sad or hopeless for 2 weeks in past year) (8th gr) [%] | 28.9 | 19.1 | 33.9 ↑ | 25.4 | 26.0 | 22.4 (A) 30.4 (NH/PI) | 31.9 ↑ | 31.6 ↑ | ↑ | 27.2 | ↔ | 13 |
| Poor emotional/ mental health (e.g., sad or hopeless for 2 weeks in past year) (10 gr) [%] | 34.0 | 23.4 | 39.4 ↑ | 30.0 | 29.8 | 28.6 (A) 35.4 (NH/PI) | 38.9 ↑ | 37.2 ↑ | ↑ | 34.9 | ↔ | 13 |
| Miscellaneous | | | | | | | | | | | | |
| Nephritis, nephrotic syndrome, and nephrosis mortality [per 100,000] | 7.3 | 7.9 | 6.1 | 6.5 | -- | -- | -- | -- | ↔ | 6.2 | ↔ | 12 |
| Chronic liver disease and cirrhosis mortality [per 100,000] | 12.4 | 11.3 ↑ | 6.3 | 8.7 | -- | -- | -- | 21.3 ↑ | ↑ | 11.2 | ↔ | 12 |
| Older Adults & Aging | | | | | | | | | | | | |
| Alzheimer's disease mortality [per 100,000] | 46.2 | 33.6 | 49.2 ↑ | 43.8 | 86.3 ↑ | -- | -- | 43.2 | ↔ | 44.1 | ↔ | 12 |
| Oral Health | | | | | | | | | | | | |
| Had dental visit in past year (adult) [%] | 69.1 | 68.1 | 69.0 | 69.1 | -- | 67.6 (A) | -- | 55.6 | n/a | 66.6 | ↔ | 2 |
| Had any permanent teeth missing due to decay/gum disease (adult) [%] | 40.1 | 43.1 | 38.7 | 39.2 | -- | -- | -- | -- | n/a | 37.7 | ↔ | 3 |
| Had last visit to dentist within past 12 months (8th gr) [%] | 76.7 | 75.6 | 77.0 | 79.4 | 72.9 ↓ | 80.9 (A) 60.6 (NH/PI) ↓ | 72.3 ↓ | 70.4 ↓ | ↑ | 76.9 | ↔ | 13 |
| Had last visit to dentist within past 12 months (10th gr) [%] | 76.1 | 74.7 ↓ | 78.3 | 78.9 | 62.6 ↓ | 82.2 (A) 68.8 (NH/PI) ↓ | 64.2 ↓ | 68.1 ↓ | ↑ | 79.1 | ↔ | 13 |
| Respiratory Diseases | | | | | | | | | | | | |
| Chronic lower respiratory disease mortality [per 100,000] | 41.7 | 43.3 | 37.5 | 41.2 | -- | -- | -- | -- | ↔ | 38.3 | ↔ | 12 |

2016 Clark County Population Health Indicator Table

| Category/Health Issue | Clark County Rate (2014) [†] | Gender | | Race/Ethnicity | | | | | Trend | WA State Rate (2014) [†] | Compare to state | Data year/ source [†] |
|--|---------------------------------------|--------|--------|----------------|--------|-----------------------------|--------|--------|-------|-----------------------------------|------------------|-----------------------------------|
| | | Male | Female | W | B | A | AI/AN | H | | | | |
| Substance Abuse | | | | | | | | | | | | |
| Drug-induced mortality [per 100,000] | 13.7 | 17.8 ↑ | 10.6 | 15.3 | -- | -- | -- | 9.9 | ↔ | 14.6 | ↔ | 12 |
| Alcohol-induced mortality [per 100,000] | 14.4 | 15.9 ↑ | 6.3 | 11.2 | -- | -- | -- | 14.9 | ↑ | 12.9 | ↔ | 12 |
| Binge drinking (adult) [%] | 16.1 | 23.1 ↑ | 13.4 | 20.1 | -- | -- | -- | -- | n/a | 17.7 | ↔ | 1 |
| Heavy drinking (adult) [%] | 6.2 | 4.9 | 7.1 | 6.8 | -- | -- | -- | -- | n/a | 6.7 | ↔ | 1 |
| Any alcohol use in past month (8th gr) [%] | 9.2 | 10.9 | 12.6 ↑ | 10.9 | 14.6 ↑ | 8.4 (A) 13.1 (NH/PI) | 16.8 ↑ | 15.7 ↑ | ↓ | 8.1 | ↔ | 13 |
| Any alcohol use in past month (10th gr) [%] | 20.5 | 22.8 | 24.4 ↑ | 23.2 | 29.4 ↑ | 15.2 (A) ↓ 25.3 (NH/PI) | 30.9 ↑ | 28.7 ↑ | ↓ | 20.6 | ↔ | 13 |
| Any binge drinking in past 2 weeks (8th gr) [%] | 5.2 | 6.0 | 7.1 ↑ | 5.8 | 7.7 | -- | 10.9 ↑ | 10.5 ↑ | ↓ | 4.5 | ↔ | 13 |
| Any binge drinking in past 2 weeks (10th gr) [%] | 11.6 | 14.4 ↑ | 12.8 | 12.5 | 20.2 ↑ | 7.9 (A) ↓ 18.6 (NH/PI) ↑ | 20.0 ↑ | 18.4 ↑ | ↓ | 10.6 | ↔ | 13 |
| Current cigarette smoker (adult) [%] | 17.4 | 16.7 | 17.4 | 17.8 | -- | -- | -- | -- | n/a | 15.6 | ↔ | 1 |
| Current cigarette smoker in past month (8th gr) [%] | 4.4 | 5.4 | 5.6 | 5.8 | 6.2 | -- | 9.4 ↑ | 4.6 | ↓ | 4.0 | ↔ | 13 |
| Current cigarette smoker in past month (10th gr) [%] | 10.2 | 12.5 ↑ | 11.1 | 11.8 | 14.1 | 4.8 (A) ↓ 12.4 (NH/PI) | 19.3 ↑ | 11.2 | ↓ | 7.9 | ↑ | 13 |
| Any use of marijuana in past month (8th gr) [%] | 8.2 | 8.9 | 8.6 | 7.8 | 14.1 ↑ | n/a (A) 11.0 (NH/PI) ↑ | 15.6 ↑ | 13.1 ↑ | ↑ | 7.3 | ↔ | 13 |
| Any use of marijuana in past month 10th gr) [%] | 19.1 | 21.4 ↑ | 18.5 | 19.1 | 31.0 ↑ | 9.6 (A) ↓ 25.3 (NH/PI) ↑ | 28.0 ↑ | 23.5 ↑ | ↑ | 18.1 | ↔ | 13 |

2016 Clark County Population Health Indicator Table

| Category/Health Issue | Clark County Rate (2014) [†] | Gender | | Race/Ethnicity | | | | | Trend | WA State Rate (2014) [†] | Compare to state | Data year/ source [†] | |
|---|---------------------------------------|--------|--------|----------------|----|----|-------|----|--------|-----------------------------------|------------------|-----------------------------------|----|
| | | Male | Female | W | B | A | AI/AN | H | | | | | |
| Any use of e-cigarettes/vaping products in past month (8th gr) [%] | 10.4 | 10.8 | 10.2 | 8.9 | -- | -- | -- | -- | 17.2 ↑ | n/a | 8.5 | ↔ | 18 |
| Any use of e-cigarettes/vaping products in past month (10th gr) [%] | 20.9 | 21.0 | 20.9 | 20.8 | -- | -- | -- | -- | 25.0 | n/a | 18.0 | ↑ | 18 |
| Any prescription drug abuse in past month (8th gr) [%] | 4.4 | 3.1 | 5.4 ↑ | 3.6 | -- | -- | -- | -- | -- | n/a | 4.2 | ↔ | 18 |
| Any prescription drug abuse in past month (10th gr) [%] | 6.3 | 7.3 ↑ | 5.2 | 5.1 | -- | -- | -- | -- | -- | n/a | 7.6 | ↓ | 18 |

2016 Clark County Population Health Indicator Table - Notes

Notes: Indicators are for all ages unless a specific subpopulation is noted. All data are age-adjusted to the 2000 US Standard Population and are per 100,000 population (except youth data which are reported by grade level). Adult health behavior data are a percent of population at risk. Youth health behavior data are a percent of student enrollment per grade (8th or 10th). Race/Ethnicity includes White non-Hispanic (W), Black non-Hispanic (B), Asian non-Hispanic (A), American Indian or Alaska Native non-Hispanic (AI/AN), and Hispanic (H-any race). Sub-categories of Asian non-Hispanic are listed where available: Asian (A), Asian Pacific Islander (API), Native Hawaiian/Pacific Islander (NH/PI). Statistical significance is noted where applicable: values in **red** were statistically worse than comparison, values in **green** were statistically better, values in black were not different, and **red/green** arrows are shown to aid interpretation (as indicators vary). Values without enough data to report are blank.

[†]Year/source for data

Adult prevalence data (Behavioral Risk Factor Surveillance System, WA State Department of Health)

1. BRFSS: most recent 2014, disparities 2011-14, trend not available
2. BRFSS: most recent 2014, disparities 2011-12-14 (not 2013), trend not available
3. BRFSS: most recent 2014, disparities 2012 and 2014, trend not available
4. BRFSS: most recent 2013, disparities 2011-12-13, trend not available
5. BRFSS: most recent 2013, disparities 2011 and 2013, trend not available

Cancer (National Cancer Institute)

6. Cancer incidence data 2008-2012

STD, Hep C and HIV data (WA State Department of Health)

7. Chlamydia: most recent 2014, disparities 2014, trend 2005-09 and 2010-14
8. Chronic Hep C: most recent 2014, disparities not available, trend 2007-10 and 2011-14
9. Early Syphilis: most recent 2014, disparities 2010-14, trend 2005-09 and 2010-14
10. Gonorrhea: most recent 2014, disparities 2010-14, trend 2005-09 and 2010-14
11. HIV/AIDS: most recent 2014, disparities not available, trend 2007-10 and 2011-14

Vital statistics (WA State Department of Health)

12. Vital statistics data (death and birth): most recent 2014, disparities 2010-14, trend 2005-14

Youth/Student prevalence data (Healthy Youth Survey, WA State Department of Health)

13. HYS: most recent 2014, disparities 2010-12-14, trend 2004-06-08-10-12-14
14. HYS: most recent 2014, disparities 2010-12-14, trend 2004-08-10-12-14 (not 2006)
15. HYS: most recent 2014, disparities 2010-12-14, trend 2006-08-10-12-14 (not 2004)
16. HYS: most recent 2014, disparities 2012-14, trend 2004-06-08-12-14 (not 2010)
17. HYS: most recent 2014, disparities 2014, trend 2004 and 2014 (not 2006-08-10-12)
18. HYS: most recent 2014, disparities 2014, trend not available