

## AMC Toolkit: Vomit and Diarrhea Clean-up Plan





The following procedures address how employees must minimize the spread of contamination when cleaning up vomit and diarrhea. These procedures will limit the risk to employees, consumers, food, and surfaces in the food establishment. Staff must be trained on your clean-up plan and your plan must also be available for review by your regulatory authority (WAC 246-215-02500). Ensure all supplies are available to properly implement the procedure. *Adjust this document to fit your establishment.* 

Section 1: Food Establishment Information									
Establishment Name			Phone						
Stree	t (Physical Address)	City	ZIP	Email					
Conta	act Name	Title / Position							
	Section 2: Clean-Up Plan Checklist								
✓	Every food establishment must have a written clean-up plan that protects consumers, food, employees, and surfaces. Include the following items in your clean-up plan (modify as needed to fit your business):								
	<ul> <li>Protect Consumers</li> <li>Move guests from the immediate contaminated area (10 feet).</li> <li>Do not reseat guests within 25 feet of the contaminated area until the area is properly cleaned and disinfected.</li> <li>Other:</li> </ul>								
	<ul> <li>Protect Food</li> <li>Discard uncovered food or single-service items within a 25-foot radius of the contaminated area</li> <li>Wash all utensils and equipment within a 25-foot radius of the vomit or diarrheal event</li> <li>Discontinue food service within a 25-foot radius of the contaminated area until all utensils, equipment, and surfaces have been cleaned and disinfected.</li> <li>Other:</li> </ul>								
	<ul> <li>Protect Employees</li> <li>Any ill food workers/employees must be sent home immediately. Food workers may not return to work until their symptoms have resolved for at least 24 hours.</li> <li>Only trained staff should be assigned clean-up and disinfection tasks.</li> <li>Wear protective equipment such as gloves, apron, and goggles when responding to vomit or diarrhea incidents.</li> <li>Workers must wash hands after clean-up is completed.</li> <li>Staff involved with clean-up should not return to food handling until able to shower and change clothes.</li> <li>Remind employees to report symptoms or diagnosed illnesses to the Person in Charge. Symptoms include vomiting, diarrhea, sore throat with fever, jaundice (yellowing), and infected cuts on the hands. Reportable illnesses include <i>E. coli, Salmonella</i>, hepatitis A, <i>Shigella</i>, and norovirus.</li> <li>Other:</li> </ul>								
	<ul> <li>Protect Surfaces</li> <li>Use disposable absorbent material like baking soda into trash bag.</li> <li>Clean and disinfect surfaces such as tabletops, door contaminated area.</li> <li>Bag, seal, and discard all disposable cleaning equipment contaminated area.</li> <li>Block off and schedule steam cleaning for contaminated area.</li> <li>Clean and disinfect reusable clean-up equipment in a Clean and disinfect restrooms and common high-toutened.</li> <li>Other:</li> </ul>	knobs, and chair ment (scoops, ma ated fabric surfac an area not used	es within a 25-footop heads, gloves	radius around the towels) before leaving the lequately be disinfected.					



## AMC Toolkit: Vomit and Diarrhea Clean-up Plan





Section 3: Identify Surfaces & Assemble A Clean-Up Kit							
Surfaces: Identify surfaces in the food establishment that will need disinfection to ensure staff are trained and the planned disinfectant is labeled for the surface (check all surfaces in the establishment):							
<ul> <li>☐ Hard, non-porous (tile, vinyl, sealed concrete, stainless steel): Follow 'non-porous' directions on disinfectant label.</li> <li>☐ Porous (unsealed concrete, wood): Follow 'porous' disinfection directions on label.</li> <li>☐ Carpet and upholstery: Close area and steam clean if unable to use disinfectant.</li> <li>☐ Linens and clothing: Machine wash and dry hot; use chlorine bleach if possible.</li> <li>☐ Grass and outdoor concrete: Block access; use absorbent material on spill; scrape into bag; rinse area with water.</li> <li>☐ Other:</li> </ul>							
Clean-Up Kit: Identify items available for clean-up in the food establishment (check all that apply):							
Dis	sposable masks sposable gloves sposable aprons	☐ Absorbent materia (baking soda, kitty l☐ Disposable scoop☐ Garbage bags☐ Disposable paper	litter) o/paper plates	☐ Disposable mop h (no vacuum) ☐ Mop bucket/hot wa ☐ Caution tape or sig ☐ Soap	ater		
Goggles Disposable paper towels/cloths Soap  Disinfectant: Detail how to make and use the disinfectant (reference product label):							
Recommended disinfectant for controlling norovirus: 1 cup of bleach per gallon of water. Immerse for one minute. Let air dry.  EPA-Registered Disinfectant Name:  Bleach or Other:  Amount of disinfectant:  Amount of water:  Contact time:  Instructions:							
Location of the kit: Location of the utility sink to clean reusable tools:							
Note:	Tools used to clear	•		stored or cleaned in the	e kitchen if possible.		
Section 4: Employee Training  Employee Training: Employees must be properly trained in advance. Select all that apply.							
	How are employe  Read and sign	es trained?	demonstration	Other:	рріу.		
	How often are em	ployees trained?	☐ Annually	☐ Other:			
Work	er Assignments: A	Assign non-food worke	rs clean-up duti	es when possible. Sele	ct all that apply.		
	☐ Manager	otified if a vomit or diar	☐ Server	☐ Cook	Other:		
	Who is responsibl  ☐ Manager	le for cleaning vomit a ☐ Janitor	Server	☐ Cook	Other:		
		Section 5:	Additional Fa	cility-Specific Infor	nation		
Section 6: Plan Maintenance							
	Where is the clean-up plan kept in the food establishment?						
☐ How often is the plan reviewed and updated? ☐ Annually ☐ Other:							
Section 7: Signature							
Plan prepared by:							
Signa	ature		Date	Printed Name	Phone		

To request this document in another format, call 1-800-515-0127. Deaf or hard of hearing customers, please call 711 (Washington Relay) or email civil.rights@doh.wa.gov.